

MOPAR® RECOGNIZED CERTIFIED COLLISION REPAIR FACILITY PROGRAM

The Mopar Recognized Certified Collision Repair Facility Program offers consumers a repair provider choice that is officially "Certified."

This unique program identifies collision repair operations that have all of the critical tools, equipment, training and facilities to properly repair FCA US LLC vehicles to original manufacturer specifications.



PROI5 i5 Smart Welder

Car-O-Tronic Vision2 X3
Electronic Measuring System

Mopar Service Equipment (MSE) can provide your dealership with a support team to determine your collision equipment needs. MSE has an industry-leading field sales organization and customer service center to provide assistance on product selection, application, service and support for a "One-Stop Shop!"

To order call **1-855-298-2687**, visit **MoparEssentialTools.com**, or contact your local MSE Fixed Operations Consultant for assistance.



LEASING PROGRAM TO MEET YOUR NEEDS

We offer competitive rates! Please call for quote.

- 24, 36, 48, 60, or 72 month terms available
- First and last month payments due in advance (zero down/deferred payments available)
- \$1 end of lease purchase option
- \$5,000 minimum
- Personal Guarantee not required for most transactions
- Financing available to qualified business customers; subject to credit approval
- Document Fee applies

CALL 1-855-298-2687

Welders	
Collision Measuring S	ystems
	4,



CAR-O-LINER®

CARNA90576 CTR9 208V Fully Automatic Spot Welder

Features:

- · Fully automatic resistance welder with inverter technology.
- Double rotating action of C-tong handle for easier handling and higher efficiency.
 Higher productivity while reducing strains and injuries.
- Welding current up to 16,000 amps for powerful output.
- · Transformer gun for greater working range
- · Innovative, compact design with low center of gravity for increased safety and agility
- Telescopic support arm, adjustable both vertically and horizontally with an adjustable arm height of 1.9 to 2.4 meters from the floor and an adjustable arm length from 1.2 to 1.55 meters
- Weld logging software for documentation and registration of weld data via PC and USB (optional)



Accessories:

CAR49317 C-Yoke 40mm Arm
CAR49318 C-Yoke 80mm Arm
CAR49319 C-Yoke 350mm Arm
CAR49320 C-Yoke 500mm Arm

Note: Additional 1.5% Surcharge will be applied to invoice.

CEBOTECH TECNA

CBI3664P SMART-PLUS Resistance Spot Welder

Inverter resistance spot welder with SMART-PLUS Control. Welder automatically senses steel type and thickness, and sets the welding parameters without the need for operator input.

Features:

- Up to 14,000 amps of output power at the electrode tips.
- Up to 1,350 lbs. of squeeze force.
- · Latest Trans-gun design.
- Long reach 20' gun cable length allows for welding while car is still on the bench.
- Water cooling all the way to the electrode tips for increased electrode life and weld consistency.
- Balancer supports the weight of the welding gun minimizing operator fatigue.
- · Upgradable software via USB port.
- Weld data print-out for more complete record keeping.
- Multiple welding arm configuration.
- TECNA end of assembly line welder.

Specifications:

- · Temperature class (TI): F
- Welding cable length: 240"
- Weight approx.: 286 lbs.
- Power supply: 208/230/240 volts,
 3 phase 60 50 Hz, 60 amps
 (480 volt is available upon request)
- Speed (rpm): up to 8 spots/minute in SMART-PLUS welding mode
- Dimensions: 24" | x 27" w x 49" h





CASCEL025000 MI200T Spot Welder

Features:

- · Simple to follow LCD user interface
- · Ergonomic and lightweight pliers
- Up to 14500A output power at 40% less input power*
- High duty cycle without waiting for cool down
- Liquid cooled to the tips
- · Nearly 20' of welding cable provides increased reach
- · C-pliers with multiple size arms available

Includes:

CASCEL051720 Overhead Balancer and 360° Gryo C Arm

CASCEL021402 Insulated C1 Arm CASCEL048935 Starter Box of Caps





PROI5 i5 220V SMART Spot Welder

The i5 features a new medium frequency trans-gun capable of delivering over 13,000 amps with over 1,000 lbs. (450dAN) of squeeze pressure. The operator can choose between three different modes: AUTO, SEMI-AUTO, and MANUAL for two-sided spot welding. In AUTO mode the i5 measures the thickness of the metals automatically using the latest optical technology. The i5 then senses the metals to be welded from a pre-delivered current to determine the type of metal. Based on the thickness and the resistance feedback information, the i5 delivers the correct weld power every time regardless of type of metal, thickness or corrosion protection between the metals.

Features:

- · Inverter technology, 6000 Hz.
- Medium frequency trans-gun.
- · Auto weld technology.
- · High resolution touch screen color display.
- · Radiator looped cooling system to the weld caps.
- · Double acting gun for easy and fast operation.
- · Designed for new advanced steels.
- · Fully upgradeable software.
- · OEM repair procedures on-board.
- · Weld Log and Login feature.

Includes:

- · Tool Balancer and Boom
- Water-Cooled C-Arm
- · Water-Cooled Wheel House Arm
- · Water-Cooled 520 mm Extension Arm
- Protective Weld Cover







i5 shown with boom

C-Arm shown

^{*}power usage compared to standard cable pliers welders

FRAME MEASURING SYSTEMS

CAR-O-LINE



Car-O-Tronic[™] Vision2 **Measuring System** Vision2 X2 and X3 Software Features:

- Measurement data for 15,500 cars, trucks and SUVs
- Photos of vehicles and all measuring points
- Precise measurements for upper and under-body locations
- Sensors in each joint of measuring slide delivering real-time data 3 times per second
- Wireless no targets, sensors or lasers
- Not affected by noise, wind or sun
- Compatible with nearly any frame system (additional Equipment may be required)
- Measure before, during and after to validate the repair
- Document the repair process in photos with text and email the files within the software (internet service required)

Vision2 X3 Software (added features)

- Suspension check diagnosis
- Multimedia support for EVO[™] a universal system for anchoring, fixturing and holding
- Upper and under-body point-to-point measuring
- Ball ioint measuring
- VIN decoding

CAR34640-PKG BenchRack™ 5500 Standard Package **Features:**

- Universal solution for cars, vans, light trucks and SUVs.
- Machine-milled platform surface for precision repairs.
- Powerful 10-ton draw aligner pulls from any angle, 360° around the vehicle.
- Removable ramps allow better access to the vehicle.
- Variable working height up to an industry leading 47-1/4".

Includes:

CAR31934 B323 Ramp Kit for BR5500 CAR46839 T605 Power Unit 220V CAR30774 Hydraulic Oil (gty. 2) CAR30346 D16 Draw Aligner CAR205 Ram Adaptor

Pump, Hose and Cylinder CAR701 Cable Guard (qty. 2) CAR31040 B106/B39 Bench Parts CAR30948

CAR34014 Pillar Jack Kit

CARNA90001 Assembled Connector (for Power Unit)

CAR930 Double Grab Hook

CAR931 3/8" x 8' Chain with 1 Grab Hook 3/8" x 12' Chain with 1 Hook **CAR934** CARNA34640KT B83 BR5500 Frame and Tilt Lift

Note: Additional 1.5% Surcharge will be applied to invoice.



CASCK140126 Meridian™ Live Mapping™ System

A complete vehicle blueprinting package. Galileo™ a precision single-hub laser driven scanner provides a guick and accurate 360-degree view of damage not visible to the naked eve. A focused scanner footprint gives

you flexibility in target line of site, so more measurements can be taken and an accurate detail of damage can be documented.

Features:

- New! 32" single monitor (not shown)
- Galileo with 360 degrees single hub scanner
- 45 targets
- Upper body bar
- Target extensions
- All included in a lockable, portable steel cabinet

Required Accessory:

CAS788925 Vehicle Specification (required)





- Deck length: 18' (5490 mm)
- Deck width: 6' 8" (2030 mm)
- Working heights Variable Heights:
- 6 stops; 22 40" (558.8 1016 mm)
- Maximum length (footprint): 22' 4" (6807 mm)
- Maximum width (footprint): 11' 2" (3404 mm)
- Maximum height: 10' (3048 mm)
- Weight (3-Tower): 5,950 lbs. (2700 kg)
- Lift capacity: 10,000 lbs. (4536 kg)
- Pulling force per tower: 10-ton (89 kN)
- Tie-down openings (with cross member): 172 Power - U.S.: 120 volts AC, 60 Hz, 20 amp, 1 phase, dedicated line

PAINT BOOTHS

Performer Downdraft Paint Booth Features:

- · White dual-skin insulated walls.
- · Re-circulating air makeup unit for energy-savings.
- 1.2M BTU high-efficiency heater.
- Two Variable Frequency Drives accelerate airflow during flash-off cycles, provide energy-saving smooth motor starts and reduce gas usage while operator is not spraying.
- 12 high-efficiency 4-tube light fixtures.
- Duct package included.
- Easy-to-use GFS AXIOM controls.
- · Internal dimensions: 14' w x 9' h x 27' l / External 14.5' w x 11' h x 27.5' l.
- Booth service available across the country.
- ETL Listed.



Excel Workstation Features:

- Flexible workstation is 6H Compliant and was developed to meet National Fire Protection Association (NFPA) requirements.
- · High-efficiency color correcting lights.
- · Control panel for operation of lights and fans.
- Heavy-duty curtain walls.
- Easily configured to be free-standing or suspended from shop ceiling.

Models:

- · Free Standing Column Excel Workstation
- · Suspended Excel Workstation



AdvanceCure® System

Tested by paint companies, the Blade option for GFS' AdvanceCure® System offers premium performance. The exclusive air-knife design allows for precise direction of air through small slits in the module. AdvanceCure® Blade has been proven to provide better vehicle coverage and requires less maintenance, with no need to move nozzles around.

Features:

- AdvanceCure drastically reduces both drying times and energy costs while increasing productivity.
- 15% increase in turbulent air speed over the older AdvanceCure® Systems equipped with nozzles.
- Longer towers allow for more even air distribution.
- The 4th generation of GFS' AdvanceCure® System.
- The Blade option can be added to any horizontal AdvanceCure® (R-Series & I-Series) models.





3000 Series Spray Booth – Designed for maximum output, this full downdraft paint spray booth features Garmat's exclusive fan design and horizontally mounted lighting package.

3000 Series Spray Booth

Garmat USA is a leading manufacturer of Paint Spray Booths designed to INCREASE your PRODUCTIVITY and BOTTOM LINE!"

Offering a full line of paint spray booths and equipment with pricing, output capabilities and product designs to fit any size shop.

Standard Product Line Features:

- · Dual inlet reverse incline fans, providing the highest performance and best energy efficiency.
- Horizontally-mounted light fixtures for optimal and virtually shadow-free illumination.*
- ETL-listed cabin constructed of dual white powder-coated galvanized steel, fully insulated with solid horizontally installed interlocking wall panels.**
- Heated AMU features 80% recycle heated air in bake cycle for greater energy efficiency.
- · Downdraft units offer three row or single row pit options with heavy-duty lightweight galvanized grates.
- 6H Compliant.
- · Stainless steel direct fired burners.
- · Variable Frequency Drives (VFD) and soft starts are available.
- · Completely customizable to fit your shop's requirements.

^{*}Closed Top Open Front (CTOF) features vertical lighting orientation.

^{**} Tier products feature single wall construction.



Mopar® Business Development Fund 0% INTEREST FINANCING!

WHO IS ELIGIBLE FOR FUNDING?

Available for qualified ExpressLane Dealers and Dealers participating in the Mopar Bulk Oil Program.

WHAT ARE THE BENEFITS?

- Interest-free loan.
- Convenient Easy monthly repayment built into your bulk oil purchases.
- Opportunity to grow your business or open up an ExpressLane with minimal up-front capital.



Contact your local MSE Fixed Operations Consultant to find out what equipment qualifies for an interest-free loan!

SERVICE FACILITY PLANNING

Thousands of facility projects managed by our professionals.



WE HAVE A PROVEN 5 STEP PROCESS.

Consultation | Design & Layout | Proposal & Budgeting | Installation | Ongoing Service & Support





We can make your service facility more productive, more efficient and more profitable.

« SCAN HERE

to contact your local MSE Fixed Operations Consultant today!

Pricing is for Alfa Romeo, Chrysler, Dodge, Fiat*, Jeep, and RAM dealers only. Pricing is noted in US Dollars. Pricing and product information are subject to change without notice. All sales F.O.B. shipping point. All applicable freight, installation and tax will be added at time of invoice. For estimated freight, please call 1-855-298-2687.

© 2024 FCA US LLC. All Rights Reserved. Mopar is a registered trademark of FCA US LLC.